

What is Fabric Softener?

FABRIC SOFTENER improves the feel of washed fabrics by imparting a softness and bulkiness to the fibres and helps to neutralise alkaline residues. Ideal for both laundry and upholstery fabrics.

Key Benefits

- ✓ Softens fabrics
- ✓ Reduces static cling
- ✓ Speeds up drying times
- ✓ Fresh fragrance

How Does It Work?

FABRIC SOFTENER is a perfumed blue liquid that improves the feel or handle of fabrics and upholstery by imparting a distinct softness and bulkiness to the fibres. Wool, cotton, polyester blends and all other washable fabrics are suitable for rinsing with FABRIC SOFTENER. It helps eliminate static cling, drying times are reduced and it adds a pleasant fragrance and revitalises the brightness of coloured fabrics. Another benefit is the prevention of accelerated soiling due to adhesion of solid particles when static cling is present.

For Use On...

LAUNDRY:

FABRIC SOFTENER is added to the final rinse water in washing machines. Ideal for use in all industrial, commercial and household laundry operations and is suitable for all Australian conditions. It stops the tendency of synthetic garments from clinging to the skin, especially after tumble-drying and stops problems caused by lint in the tumble-dryer.

UPHOLSTERY:

FABRIC SOFTENER is the ideal partner to CITRUS EXTRA. Once the upholstery has been pre-sprayed with CITRUS EXTRA, it can be extracted with FABRIC SOFTENER.

Technical Data

Properties

FABRIC SOFTENER is based on dimethyl ditallow ammonium salts dissolved in water with solubilisers, perfume, optical brightener and blue colour.

Properties



COLOUR – Blue viscous creamy liquid
ODOUR – Rose perfume
pH = 2.0 – 4.5

Environmental Care

FABRIC SOFTENER conforms with all statutory environmental requirements. It is based on safe ingredients selected to perform efficiently so there is no waste or damage. FABRIC SOFTENER is non-flammable and phosphate-free. FABRIC SOFTENER containers will be cleaned and reused if returned to Agar Cleaning Systems Pty Ltd., significantly reducing plastic usage and waste. They can also be recycled.

Quality

The design, manufacture and supply of all Agar chemical products is controlled by the Agar Quality Management System which is registered and externally audited by SAI Global as complying with the requirements of AS/NZS ISO 9001 "Quality Management Systems – Requirements".

First Certified: 30 April 1996 SAI Certificate No.: QEC7358

Application

LAUNDRY:

- Add the correct amount of FABRIC SOFTENER to the water as the final deep-rinse stage of the wash begins:

Top Loading Automatics:	40ml
Twin Tubs:	30ml
Hand Rinse:	10ml – 20ml
Commercial Machines:	3ml – 5ml per kg of wash load with rinse water at 30 to 40°C.

- Never pour FABRIC SOFTENER directly onto clothes.
- It is best to pre-mix the FABRIC SOFTENER with some water to aid mixing.
- Avoid mixing bleach or any other products in the same rinse as FABRIC SOFTENER.
- Do not use FABRIC SOFTENER if the water supply is heavily discoloured.

UPHOLSTERY:

- Dilute FABRIC SOFTENER to 1 in 50 with water.
- Pre-test solution on fabric to ensure dyes are colourfast.
- Pre-spray the upholstery fabric with CITRUS EXTRA solution, then extract with FABRIC SOFTENER solution.
- After each wet pass, make a dry pass.
- Dry the fabric with a hair dryer or air blower.

Disposal Information

1. Used solutions -

Used Solutions of FABRIC SOFTENER should be poured into a drain or trough that leads to the sewer system or a septic tank. These systems have a method for treating and breaking down the waste. Used solutions of detergent should not be poured into stormwater drains or down driveways as these drains are designed for rainwater and ultimately lead to the local river system.

2. Unused product

It is best to keep the product and use it up! If this is not possible, try to give it to someone who can use it. (Make sure the product is in its original, labelled container).

If there is no alternative but disposal, it is safe to pour modest quantities of this product down the drain (to sewer) with running water. Leave the cold tap running for a few moments afterwards as this dilutes the product and reduces the concentration in the wastewater.

Remember, do not mix different cleaning products together during disposal!

3. Empty packaging

Bottles and drums

Our 5L and 20L bottles and drums are made from HDPE (polyethylene) or PET which can be recycled. You can dispose of these containers via the kerbside collection program or other recycling system. FABRIC SOFTENER containers will be cleaned and reused if returned to Agar Cleaning Systems Pty Ltd, significantly reducing plastic usage and waste.

Cardboard cartons

Used boxes should be flattened and recycled in OCC (old, corrugated cardboard) or mixed wastepaper recycling programs.

Available in: 5L, 20L

Agar Cleaning Systems maintains Safety Data Sheets (SDS) on all its products. These sheets contain information that you may need to protect your employees and customers against health or safety hazards associated with our product. Agar Cleaning Systems recommends that you obtain a copy of the respective SDS sheet prior to using this product. The information in the Product Data Sheet is based on data we believe to be reliable. It is offered in good faith, but without guarantee, as conditions and methods of use of our product are beyond our control.



MELBOURNE
Agar Cleaning Systems P/L
12-14 Cope Street
Preston VIC 3072
Ph: (03) 9480 3000

ADELAIDE
Agar Cleaning Systems P/L
Unit 1, 138-140 Ashley Street
Underdale SA 5032
Ph: (08) 8293 2020

BRISBANE
Agar Cleaning Systems P/L
Unit 5, 13 Murdoch Circuit
Acacia Ridge QLD 4110
Ph: (07) 3274 3438

SYDNEY
Agar Cleaning Systems P/L
Unit 3, 68-72 Asquith Street
Silverwater NSW 2128
Ph: (02) 9743 6020

PERTH
Briskleen Supplies
38 Mulgool Road
Malaga WA 6090
Ph: (08) 9249 4566